

IDPVWB-080965-NFA

INDOOR DIRECTIONAL ANTENNA, VERTICAL POLAR
 DUAL BAND 2400~2500MHz/5725~5875MHz
 8.0/8.5dBi, 65°/65°HBW, 50°/45°VBW

PRODUCT IMAGE



ELECTRICAL SPECIFICATIONS

Frequency	2400MHz-2500MHz	5725MHz-5875MHz
Gain	8.0dBi	8.5dBi
Horizontal Beamwidth	65°	65°
Vertical Beamwidth	50°	45°
Polarization	Vertical	
VSWR	≤1.4	
Impedance	50Ω	
Maximum Input Power	200Watts	
Connector	N Type Female	
Lightning Protection	DC Ground	

MECHANICAL SPECIFICATIONS

Weight	0.2kg
Dimensions (L x W x D)	110mm x 110mm x 30mm
Reflector Material	Aluminium Alloy
Radiating Element Material	CuAg
Radome Material	ABS
Connector Location	Bottom 300mm Cable
Installation	Mounting on the wall

ENVIRONMENTAL SPECIFICATIONS


Operating Temperature	-30°C to +60°C
-----------------------	----------------

ENERSUS RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE


EDITION: 08-01

RADIATION PATTERNS

2400MHz



5800MHz



ORDERING INFORMATION

IDPVWB-080965-NFA	Antenna, N Female Connector with 300mm tail
-------------------	---